

Is there life after libXSLT 1?

Tony Graham
Mentea
13 Kelly's Bay Beach
Skerries, Co Dublin, Ireland
info@mentea.net
<http://www.mentea.net>

Version 1.0. – 18 September 2013
© 2013 Mentea



Is there life after libXSLT 1?

What is libXSLT?

1

- XSLT 1.0 processor
- Coupled with libXML2 parser
- Written in C
- By Daniel Veillard of RedHat
- Bindings to other languages
- Used everywhere except Windows and Java systems

Binaries and bindings

2

- Binaries
 - Linux
 - Solaris
 - MacOS
 - Windows
- Bindings
 - Perl
 - PHP
 - Python
 - Ruby
 - Tcl

What's the problem?

3

- libXSLT and libXML2 are *everywhere*
- Stuck at XSLT 1.0
- Life would be better if usable XSLT 2.0 processor replacement
 - Even if subset of XSLT 2.0

What do users want?

4

“ What I am looking for is not full blown XSLT 2.0, but rather XSLT 1.5: various string functions support, regular expressions, xsl:attribute/@select, xsl:for-each-group, xpath1 except xpath2, xpath1=(value1, value2), tunnelled params, etc.

I do not use XSLT 2.0 sequence generators, collations or strong types in my code”

<https://mail.gnome.org/archives/xslt/2012-February/msg00002.html>

What do we need?

5

- XSLT 2.0
- Full or subset
- Compatible with libXML2/libXSLT APIs

Why do we need compatibility?

6

- Current code “just works”
- Easy transition to XSLT 2.0
- Multiple ways to be compatible
 - Read and write libXML2 trees
 - Implement high-level libXSLT API for running a transform
 - Implement full libXSLT API

What’s the problem?

7

- APIs expose internals

```

Structure xmlNode
struct _xmlNode {
    void * _private : application data
    xmlElementType type : type number, must be second !
    const xmlChar * name : the name of the node, or the entity
    struct _xmlNode * children : parent->childs link
    struct _xmlNode * last : last child link
    struct _xmlNode * parent : child->parent link
    struct _xmlNode * next : next sibling link
    struct _xmlNode * prev : previous sibling link
    struct _xmlDoc * doc : the containing document End of common p
    xmlNs * ns : pointer to the associated namespace
    xmlChar * content : the content
    struct _xmlAttr * properties : properties list
    xmlNs * nsDef : namespace definitions on this node
    void * psvi : for type/PSVI informations
    unsigned short line : line number
    unsigned short extra : extra data for XPath/XSLT
}

```

If not libXSLT 1.0, then what?

8

- DIY libXSLT 2.0
- libx
- Qt XSLT processor
- Saxon-C
- EXSLT

Do-It-Yourself libXSLT 2.0

9

- A “lot” of work

libx

10

<http://www.explain.com.au/libx/>

- Steve Ball, Explain
- Commercial/open source XSLT 2.0 based on libXSLT
- Pay for early access to XSLT 2.0 code
- Code to be released to open source after 6 months
- Not much take up
- Stalled since 2011

libx features

11

- Functions operating on QName and Sequences
- if then else
- for
- Quantified expressions
- value and general comparisons
- Sequences
- `xsl:function`
- `xsl:for-each-group`

libx risks

12

- libXSLT not designed for XSLT 2.0
- No analysis/optimisation phase when compiling stylesheets

Qt XSLT processor

13

- C++, open source
- Offshoot of Qt XQuery processor
- XPath 2.0 + some XSLT 2.0
- 42% conformance in W3C test suite

Qt XSLT conformance

14

XSL Feature	Support Status
XPath Conformance	Since XPath is a subset of XSLT, its issues are in affect too.
xsl:copy	The copy-namespaces and inherit-namespaces attributes have no effect. For copied comments, attributes and processing instructions, the copy has the same node identity as the original.
Patterns	Complex patterns or patterns with predicates have issues.
2.0 Compatibility Mode	Stylesheets are interpreted as XSLT 2.0 stylesheets, even if the version attribute is in the XSLT source is 1.0. In other words, the version attribute is ignored.
Grouping	fn:current-group(), fn:grouping-key() and xsl:for-each-group.
Regexp elements	xsl:analyze-string, xsl:matching-substring, xsl:non-matching-substring, and fn:regex-group()
Date & Time formatting	fn:format-dateTime(), fn:format-date() and fn:format-time().
xsl:copy-of	The copy-namespaces attribute has no effect.

Not supported: xsl:key and fn:key(), xsl:include, xsl:import, fn:format-number(), xsl:message, xsl:use-when, Tunnel Parameters, xsl:attribute-set, xsl:decimal-format, xsl:fallback, xsl:apply-imports, xsl:character-map, xsl:number, xsl:namespace-alias, xsl:output, xsl:output-character, xsl:preserve-space, xsl:result-document

Qt XSLT processor risks

15

- Unknown, unused?
 - Question on Qt forum about linking libXSLT with Qt program
- No progress between Qt 4.5 and Qt 5.0?
- Future of Qt when Microsoft owns Nokia?

Saxon-C

16

- Saxon-CE = Saxon compiled to JavaScript
- Saxon.Net = Saxon compiled to .Net
- Saxon-C = Saxon-CE compiled to C/native code?

Saxon-C risks

17

- Saxonica mightn't like it?
- Unknown amount of work

Exelt

18

- F#, XSLT 3.0
- Closed source, free for non-commercial use
- Abrasoft
- In private beta
- Windows
- Said to be available for Linux with Mono libraries

Exelt risks


19

- Really unknown
- Closed source and license would limit acceptance
- Bindings from F#/Mono may be harder?

Summary

20

- Upgrade from libXSLT 1.0 hindering XSLT 2.0 use
- No obvious successor
- XSLT 2.0 subset would be okay?
- Anything not based on libXSLT 1.0 needs to fake being libXML/libXSLT



MENTEA